

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
29 November 2001 (29.11.2001)

PCT

(10) International Publication Number
WO 01/89585 A1

- (51) International Patent Classification⁷: **A61K 49/00**, B05D 7/00, B32B 9/00, 9/04, H01L 29/04 (74) Agent: **NELSON, M., Bud**; BioCrystal Ltd., 575 McCorkle Boulevard, Westerville, OH 43082-8888 (US).
- (21) International Application Number: PCT/US01/16678 (81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW.
- (22) International Filing Date: 23 May 2001 (23.05.2001)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:
09/577,761 24 May 2000 (24.05.2000) US
09/633,953 8 August 2000 (08.08.2000) US
- (71) Applicant: **BIOCRYSTAL LTD.** [US/US]; 575 McCorkle Boulevard, Westerville, OH 43082-8888 (US).
- (72) Inventors: **BARBERA-GUILLEM, Emilio**; 1555 Picarde Court, Powell, OH 43065 (US). **CASTRO, Stephanie**; 2657 Wakefield Lane, Westlake, OH 44145 (US).
- (84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published:

— with international search report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.



WO 01/89585 A1

(54) Title: **FLUORESCENT NANOCRYSTAL-LABELLED MICROSPHERES FOR FLUORESCENCE ANALYSES**

(57) Abstract: Provided are a fluorescent microsphere comprised of a polymeric microsphere labelled with a plurality of fluorescent nanocrystals, and a method of producing the fluorescent microspheres which comprises contacting the polymeric microsphere with a plurality of fluorescent nanocrystals under suitable conditions in which the fluorescent nanocrystals become operably bound to or embedded in the polymeric microsphere. Also provided is a method of using the fluorescent microspheres capable of determining the presence or absence of a predetermined number of analytes in a sample by contacting the sample with the fluorescent microspheres, and detecting the fluorescence signal pattern of excited fluorescent microspheres bound to one or more analytes of the predetermined number of analytes, if present in the sample.

**FLUORESCENT NANOCRYSTAL-LABELED MICROSPHERES
FOR FLUORESCENCE ANALYSES**

5 FIELD OF THE INVENTION

 This invention relates to polymer-based microspheres, wherein the microspheres are labeled with one or more types of fluorescent nanocrystals. The resulting fluorescent microspheres are useful as distinct tagging agents or as
10 encoders in methods utilizing fluorescence-based detection such as microarrays, high-throughput screening, immunoassays, and flow cytometry.

BACKGROUND OF THE INVENTION

15 Fluorescent polymeric microspheres have been described as comprising either microspheres which are surface-labeled (including surface-coated) with fluorescent dyes, or microspheres having structurally incorporated within their volume (e.g., embedded or polymerized therein) a fluorescent dye.
20 Commonly used fluorescence-based analyses that utilize fluorescent microspheres generally apply the microspheres for a purpose selected from the group consisting of: as a detection reagent with an affinity ligand bound thereto in assaying for the presence of a molecule for which the
25 affinity ligand has binding specificity, as a calibrating agent for calibrating fluorescence-based detection systems, as a tracer (e.g., to trace the flow of a fluid containing the microspheres), and a combination thereof.

 Typically, conventional fluorescent dyes (e.g.,
30 fluorescein, rhodamine, phycoerythrin, and the like) are used for labeling microspheres. These conventional fluorescent dyes typically have an excitation spectrum that may be quite narrow; hence, it is often difficult to find a wavelength spectrum of light suitable for simultaneously exciting
35 several different fluorescent labels (e.g., differing in

color of fluorescence emission). However, even when a single light source is used to provide a excitation wavelength spectrum (in view of the spectral line width), often there is insufficient spectral spacing between the emission optima of different species (e.g., differing in color) of fluorescent dyes to permit individual and quantitative detection without substantial spectral overlap. Additionally, conventional fluorescent dyes are susceptible to photobleaching which limits the time in which a fluorescent signal can be detected, and limits time-resolved fluorescence (fluorescent signal integration over time). Additional limitations of fluorescent dyes include fluorescence quenching, and shifts in fluorescence emission spectra, depending on the environment in which dyes are excited.

Fluorescent nanocrystals comprising either semiconductor nanocrystals or doped metal oxide nanocrystals have been reported to resist photobleaching, share an excitation wavelength spectrum, and are capable of emitting fluorescence of high quantum yield and with discrete peak emission spectra. However, these nanocrystals lack sufficient solubility in aqueous-based environments required for labeling microspheres; i.e., in aqueous-based environments, the nanocrystals interact together in forming aggregates, which leads to irreversible flocculation of the nanocrystals. Thus, there remains a need for fluorescent microspheres that: (a) may be used in either single color or multicolor analysis; (b) are comprised of fluorescent nanocrystals which are sufficiently soluble in aqueous-based solutions to permit an effective concentration of the fluorescent nanocrystals to be operably bound to polymeric microspheres in forming fluorescent microspheres; (c) which may be excited with a single wavelength spectrum of light resulting in detectable fluorescence of high quantum yield and with discrete peak emission spectra; (d) that are not susceptible

to photobleaching and (e) which may further comprise one or more molecules of affinity ligand for use in fluorescence-based detection systems.

5 SUMMARY OF THE INVENTION

Provided is a fluorescent microsphere comprised of a polymeric microsphere that is labeled with (operably bound to or having embedded in its surface) a plurality of at least one type of fluorescent nanocrystals, such that

10 following excitation of the fluorescent microsphere with an appropriate excitation wavelength spectrum, the fluorescent microsphere will emit fluorescence of high quantum yield and with discrete peak emission. Fluorescent microspheres may differ in size and composition, and can be varied in the

15 intensity of fluorescence emission and the one or more colors of fluorescence emission by changing the amount and type of fluorescent nanocrystals, respectively, in the method of preparing the microspheres. Thus, the fluorescent properties of the fluorescent microspheres, such as inten-

20 sity and color, is sensitive to the corresponding fluorescent nanocrystals used to produce the fluorescent microspheres. A resultant advantage of the fluorescent microspheres of the present invention is that they may be produced to have a far greater degree of fluorescence (inten-

25 sity) than previously known fluorescent microspheres. Additionally, the fluorescent microspheres may be used for measuring a plurality of analytes in a single sample. For example, a first population of fluorescent microspheres may be (a) labeled with a plurality of one type of fluorescent

30 nanocrystals which will emit a red fluorescent signal upon excitation, and (b) be tagged with affinity ligand having binding specificity for a first analyte. A second population of fluorescent microspheres may be (a) labeled with a plurality of one type of fluorescent nanocrystals which will

emit a yellow fluorescent signal upon excitation, and (b) be tagged with affinity ligand having binding specificity for a second analyte. Thus, because the first and second populations of fluorescent microspheres can be excited with a single wavelength spectrum of light resulting in detectable fluorescence of high quantum yield and with discrete peak emission spectra, and because the first and second populations of fluorescent microspheres can bind their respective analyte (via their affinity ligand), the two populations of fluorescent microspheres can be mixed within one sample in simultaneously measuring for the presence of the first and second analytes.

Advantages of the fluorescent microspheres over individual nanocrystals which have been functionalized to include an affinity ligand, include the following. First, a single nanocrystal may only be functionalized with a limited number of affinity ligands. In contrast, a fluorescent microsphere according to the present invention can be labeled with a far greater number of fluorescent nanocrystals in enabling a fluorescent signal much greater in intensity than a single fluorescent nanocrystal can emit. Such an advantage is particularly useful in measuring an analyte which is present in minute quantities (and hence, can be bound by only a limited number of affinity ligand). Additionally, more than one type of fluorescent nanocrystal may be used to label the fluorescent microspheres. Hence, the fluorescent microspheres may comprise a plurality of types of fluorescent nanocrystals in encoding the fluorescent microspheres with a specific, identifiable code (based on the emission spectra which can comprise both color and intensity) which can be used to distinguish this population of microspheres from a population of fluorescent microspheres which encoded with a different fluorescence pattern. Such encoded fluorescent microspheres are particularly suited for multi-

dimensional microarray formats. Further, in a method of producing the fluorescent microspheres according to the present invention, by controlling the proportion of starting materials (e.g., number of polymeric microspheres, and the number and composition of fluorescent nanocrystals), precise control may be achieved with respect to the basic fluorescent properties of the resultant fluorescent microspheres. Also provided is a kit comprising the fluorescent microspheres, and may further comprise the fluorescent microspheres operably bound to affinity ligand.

The above and other objects, features, and advantages of the present invention will be apparent in the following Detailed Description of the Invention when read in conjunction with the accompanying drawings.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 is a graph illustrating the relative intensity of an exemplary fluorescent microsphere according to the present invention, as compared to that of a fluorescent nanocrystal.

FIG. 2 is a graph illustrating the relative intensity of another exemplary fluorescent microsphere according to the present invention, as compared to that of a fluorescent nanocrystal.

DETAILED DESCRIPTION OF THE INVENTION

--Definitions--

By the term "analyte" is meant, for the purposes of the specification and claims to refer to a molecule of an organic or inorganic nature, the presence and/or quantity of which is being tested for; and which contains a molecular component (domain or sequence or epitope or portion or chemical group or determinant) for which the affinity ligand has binding specificity. The molecule may include, but is not limited to, a nucleic acid molecule, protein, glyco-

protein, eukaryotic or prokaryotic cell, lipoprotein, peptide, carbohydrate, lipid, phospholipid, aminoglycans, chemical messenger, biological receptor, structural component, metabolic product, enzyme, antigen, drug, 5 therapeutic, toxin, inorganic chemical, organic chemical, and the like.

By the term "affinity ligand" is meant, for purposes of the specification and claims, to mean a molecule which has binding specificity and avidity for a molecular component 10 of, or associated with, an analyte. In general, affinity ligands are known to those skilled in the art to include, but are not limited to, lectins or fragments (or derivatives) thereof which retain binding function; monoclonal antibodies ("mAb", including chimeric or genetically modified monoclonal antibodies (e.g., "humanized")); peptides; 15 aptamers; nucleic acid molecules (including, but not limited to, single stranded RNA or single-stranded DNA, or single-stranded nucleic acid hybrids); avidin, or streptavidin, or avidin derivatives; and the like. The invention may be practiced using a preferred affinity ligand (e.g., a mAb) to 20 the exclusion of affinity ligands other than the preferred affinity ligand. The term "monoclonal antibody" is also used herein, for purposes of the specification and claims, to include immunoreactive fragments or derivatives derived from a mAb molecule, which fragments or derivatives retain all or 25 a portion of the binding function of the whole mAb molecule. Such immunoreactive fragments or derivatives are known to those skilled in the art to include $F(ab')_2$, Fab' , Fab , Fv , $scFv$, Fd' and Fd fragments. Methods for producing the various fragments or derivatives from mAbs are well known in 30 the art. For example, $F(ab')_2$ can be produced by pepsin digestion of the monoclonal antibody, and Fab' may be produced by reducing the disulfide bridges of $F(ab')_2$ fragments. Fab fragments can be produced by papain

digestion of the monoclonal antibody, whereas Fv, single chain antibodies and aptamers can be prepared according to biotechnological methods known in the art. Lectins, and fragments thereof, are commercially available.

5 By the term "fluorescent microsphere" is meant, for purposes of the specification and claims to refer to a polymeric microsphere labeled with a plurality of fluorescent nanocrystals, wherein the fluorescent microsphere comprises a polymeric microsphere having a plurality of
10 fluorescent nanocrystals operably bound thereto, or comprises a polymeric microsphere having embedded in its surface a plurality of fluorescent nanocrystals.

By the term "polymeric microsphere" is meant, for purposes of the specification and claims to refer to a bead
15 which is substantially spherical in shape, and is comprised of a polymeric material which may include, but is not limited to, latex, acrylic, glass/polymer composites, a thermoplastic (e.g., one or more of polystyrenes, polyvinyl chloride, polyacrylate, nylon, substituted styrenes, poly-
20 amides, polycarbonate, polymethylacrylic acids, polyaldehydes, and the like), a magnetic material in combination with a polymeric material, and a combination thereof. In one embodiment, the polymeric material may further comprise carbon black in a % weight in a range of from about 0.5 to
25 about 5 with respect to the polymeric material, which may minimize (reduce or quench) intrinsic fluorescence of the polymeric material, if any. For example, the carbon black may be mixed into a solution of a thermoplastic, and then the mixture is plasticized into a solid composite. In a
30 preferred embodiment, the polymeric microspheres may further comprise one or more molecules of affinity ligand operably bound thereto. Methods for operably binding affinity ligand to the surface of polymeric microspheres are well known in the art. Depending on the composition of the polymeric

microspheres, typically the microspheres will comprise one or more types of reactive functionalities which react with reactive functionalities of an affinity ligand resulting in affinity ligand being operably bound to the polymeric microspheres. In a preferred embodiment, the one or more types of reactive functionalities present on the surface of the polymeric microsphere comprises a plurality of carboxyl-reactive groups, a plurality of amine-reactive groups, or a combination thereof. In a preferred embodiment, the average diameter of the polymeric sphere is in a range of from about 0.05 micron (μm) to about 500 μm ; and most preferably, in a range of from about 0.1 μm to about 10 μm . As will be appreciated by those skilled in the art, the composition, shape, size, and density of the polymeric microsphere may vary depending on the factors such as the assay system in which it is used, as well as the nature of an analyte to be detected. A preferred polymeric microsphere may be used to the exclusion of a polymeric microsphere other than the preferred polymeric microsphere.

By the term "fluorescent nanocrystals" is meant, for purposes of the specification and claims to refer to nanocrystals comprising semiconductor nanocrystals or doped metal oxide nanocrystals, wherein the nanocrystals are operably bound to, and functionalized by the addition of, a plurality of molecules which provide the functionalized fluorescent nanocrystals with reactive functionalities to enable the fluorescent nanocrystals to become operably bound to the polymeric microspheres in forming the fluorescent microspheres according to the present invention. In a preferred plurality of molecules is selected from the group consisting of carboxylic acid, diaminocarboxylic acid, a monoaminocarboxylic acid, and a combination thereof. A preferred type of molecules may be used to the exclusion of molecules other than the preferred type of molecules. In a

preferred embodiment, the functionalized nanocrystals are sufficiently soluble in an aqueous-based environment to permit the fluorescent nanocrystals to label (operably bound to or embedded in) the polymeric microspheres in forming
 5 fluorescent microspheres in an aqueous-based environment.

By the term "semiconductor nanocrystals" is meant, for purposes of the specification and claims to refer to quantum dots (crystalline semiconductors) comprised of a core comprised of at least one of a Group II-VI semiconductor
 10 material (of which ZnS, and CdSe are illustrative examples), or a Group III-V semiconductor material (of which GaAs is an illustrative example), a Group IV semiconductor material, or a combination thereof. In a preferred embodiment, the core of the quantum dots may be passivated with a semiconductor
 15 overlayering ("shell") uniformly deposited thereon. For example, a Group II-VI semiconductor core may be passivated with a Group II-VI semiconductor shell (e.g., a ZnS or CdSe core may be passivated with a shell comprised of YZ wherein Y is Cd or Zn, and Z is S, or Se). As known to those skill-
 20 ed in the art, the size of the semiconductor core correlates with the spectral range of emission. Table 1 is an illustrative example for CdSe.

Table 1

Color	Size Range (nm)	Peak Emission Range
blue	2.5 to 2.68	476 to 486
green	2.8 to 3.4	500 to 530
yellow	3.58 to 4.26	536 to 564
orange	4.9 to 6.1	590 to 620
Red	8.6 to 10.2	644 to 654

25 In a preferred embodiment, the semiconductor nanocrystals are produced using a continuous flow process and system (as disclosed in U.S. Patent No. 6,179,912), and have a particle size that varies by less than +/- 4% in the average particle size. In a preferred embodiment, the semiconductor nanocrystals
 30 comprise a monodisperse population having an average

particle size (as measure by diameter) in the range of approximately 1 nanometer (nm) to approximately 20 nm.

By the term "doped metal oxide nanocrystals" is meant, for purposes of the specification and claims to refer to nanocrystals comprised of: a metal oxide, and a dopant comprised of one or more rare earth elements. For example, suitable metal oxides include, but are not limited to, yttrium oxide (Y_2O_3), zirconium oxide (ZrO_2), zinc oxide (ZnO), copper oxide (CuO or Cu_2O), gadolinium oxide (Gd_2O_3), praseodymium oxide (Pr_2O_3), lanthanum oxide (La_2O_3), and alloys thereof. The rare earth element comprises an element selected from the Lanthanide series and includes, but is not limited to, europium (Eu), cerium (Ce), neodymium (Nd), samarium (Sm), terbium (Tb), gadolinium (Gd), holmium (Ho), thulium (Tm), an oxide thereof, and a combination thereof. As known to those skilled in the art, depending on the dopant, an energized doped metal oxide nanocrystal is capable of emitting light of a particular color. Thus, the nature of the rare earth or rare earths are selected in consequence to the color sought to be imparted (emitted) by a doped metal oxide nanocrystal used to label a microsphere according to the present invention. A given rare earth or rare earth combination has a given color, thereby permitting the provision of doped metal oxide nanocrystals, each of which may emit (with a narrow emission peak) a color over an entire range of colors by adjusting the nature of the dopant, the concentration of the dopant, or a combination thereof. For example, the emission color and brightness (e.g., intensity) of a doped metal oxide nanocrystal comprising $Y_2O_3:Eu$ may depend on the concentration of Eu; e.g., emission color may shift from yellow to red with increasing Eu concentration. For purposes of illustration only, representative colors which may be provided are listed in Table 2.

Table 2

Fluorescent Color	Dopant
Blue	thulium
Blue	cerium
yellow-green	terbium
Green	holmium
Green	erbium
Red	europium
reddish orange	samarium
orange	neodymium
yellow	dysprosium
White	praseodymium
orange-yellow	europium + terbium
orange-red	europium + samarium

Methods for making doped metal oxide nanocrystals are known to include, but are not limited to a sol-gel process, and an organometallic reaction. As will be apparent to one skilled in the art, the dopant (e.g., one or more rare earth elements) are incorporated into the doped metal oxide nanocrystal in a sufficient amount to permit the doped metal oxide nanocrystal to be put to practical use in fluorescence detection as described herein in more detail. An insufficient amount comprises either too little dopant which would fail to emit sufficient detectable fluorescence, or too much dopant which would cause reduced fluorescence due to concentration quenching. In a preferred embodiment, the amount of dopant in a doped metal oxide nanocrystal is a molar amount in the doped metal oxide nanocrystal selected in the range of from about 0.1% to about 25%. Doped metal oxide nanocrystals may can be excited with a single excitation light source resulting in a detectable fluorescence emission of high quantum yield (e.g., a single quantum dot having at a fluorescence intensity that may be a log or more greater than that a molecule of a conventional fluorescent dye) and with a discrete fluorescence peak. Typically, they have a substantially uniform size of less than 200 Angstroms, and

preferably have a substantially uniform size in the range of sizes of from about 1 nm to about 5 nm, or less than 1 nm. In a preferred embodiment, the doped metal oxide nanocrystals are comprised of metal oxides doped with one or more rare earth elements, wherein the dopant comprising the rare earth element is capable of being excited (e.g., with ultraviolet light) to produce a narrow spectrum of fluorescence emission. In another preferred embodiment, the doped metal oxide has both fluorescent properties (when excited with an excitation light source) and magnetic properties; thus, a polymeric microsphere (which is substantially nonmagnetic) operably bound to a plurality of fluorescent nanocrystals (comprising doped metal oxide nanocrystals which are magnetic material) may form fluorescent microspheres according to the present invention which are magnetic.

By the term "operably bound" is meant, for purposes of the specification and claims to refer to fusion or bond or an association of sufficient stability to withstand conditions encountered in a method of detection, between a combination of different molecules such as, but not limited to, between the functionalized nanocrystal and the polymeric microsphere, between a fluorescent nanocrystal and the molecules by which they are functionalized (e.g., carboxylic acid, diaminocarboxylic acid, or a monoaminocarboxylic acid), and a combination thereof. As known to those skilled in the art, the bond may comprise one or more of covalent, ionic, hydrogen, van der Waals, and the like. As known to those skilled in the art, and as will be more apparent by the following embodiments, there are several methods and compositions in which two or more molecules may be operably bound utilizing reactive functionalities. Reactive functionalities include, but are not limited to, free chemical groups (e.g., thiol, or carboxyl, hydroxyl, amino, amine,

sulfo, etc.), and reactive chemical groups (reactive with free chemical groups).

The term "suitable conditions" is used herein, for purposes of the specification and claims, and with reference to a process of reacting two components (e.g., polymeric microsphere and fluorescent nanocrystals; fluorescent microsphere comprising affinity ligand and an analyte for which the affinity ligand has binding specificity), to mean those conditions under which the components may become operably bound to each other. As known to those skilled in the art, such conditions may include one or more of: a pH range of from about 3 to about 9, ionic strengths such as that ranging from distilled water to about 1 molar sodium chloride, and a temperature in the range of from about 4°C to about 45°C; and may further include a time sufficient for binding to occur (e.g., in a range of from about 10 minutes to about 2 hours).

By the term "diaminocarboxylic acid" is meant, for purposes of the specification and claims to refer to an amino acid that has two free amine groups. The amino acid may be a naturally occurring amino acid, a synthetic amino acid, a modified amino acid, an amino acid derivative, and an amino acid precursor (e.g., citrulline and ornithine are intermediates in the synthesis of arginine). In a preferred embodiment, the diaminocarboxylic acid contains neutral (uncharged) polar functional groups which can hydrogen bond with water, thereby making the diaminocarboxylic acid (and the quantum dot to which it is made a part of) relatively more soluble in aqueous solutions containing water than those with nonpolar functional groups. Exemplary diaminocarboxylic acids include, but are not limited to, lysine, asparagine, glutamine, arginine, citrulline, ornithine, 5-hydroxylysine, djenkolic acid, β -cyanoalanine, and synthetic diaminocarboxylic acids such as 3,4-diaminobenzoic acid,

2,3-diaminopropionic acid, 2,4-diaminobutyric acid, 2,5-diaminopentanoic acid, and 2,6-diaminopimelic acid.

By the term "amino acid" is meant, for purposes of the specification and claims to refer to a molecule that has at least one free amine group and at least one free carboxyl group. The amino acid may have more than one free amine group, or more than one free carboxyl group, or may further comprise one or more free chemical reactive groups other than an amine or a carboxyl group (e.g., a hydroxyl, a sulfhydryl, etc.). The amino acid may be a naturally occurring amino acid, a synthetic amino acid, a modified amino acid, an amino acid derivative, and an amino acid precursor. The amino acid may further be selected from the group consisting of a monoaminocarboxylic acid, and a diaminocarboxylic acid.

In a preferred embodiment, the monoaminocarboxylic acid contains one or more neutral (uncharged) polar functional groups which can hydrogen bond with water, thereby making the monoaminocarboxylic acid (and the quantum dot to which it is made a part of) relatively more soluble in aqueous solutions containing water than those with non-polar functional groups. Exemplary monoaminocarboxylic acids include, but are not limited to, glycine, serine, threonine, cysteine, β -alanine, homoserine, γ -aminobutyric acid, and homocysteine.

By the term "carboxylic acid" is meant, for purposes of the specification and claims to refer to a compound having the formula $\text{HS}(\text{CH}_2)_n\text{X}$, wherein X is a carboxylate (carboxylic moiety). "n" is a number in the range of from 1 to about 20, and preferably greater than 4. In a preferred embodiment, the thiol group of the carboxylic acid can be used as a reactive functionality for the carboxylic acid to become operably bound to the nanocrystal, depending on the composition of the nanocrystal (e.g., to Cd, Zn and the like). Additionally, the carboxylic moiety of the carboxylic acid

imparts water solubility to the nanocrystals. Exemplary carboxylic acids may include, but are not limited to, mercaptocarboxylic acid, or mercaptofunctionalized amines (e.g., aminoethanethiol-HCl, or 1-amino-2-methyl-2-propanethiol-HCl).

The following examples are illustrative of the methods and fluorescent microspheres of the present invention.

10

EXAMPLE 1

Fluorescent nanocrystals comprise nanocrystals which have been functionalized by the addition of a plurality of molecules; and preferably, the molecules are selected from an amino acid, a carboxylic acid, and a combination thereof.

15 For example, the nanocrystals may comprise semiconductor nanocrystals that have a core selected from the group consisting of CdSe, CdS, and CdTe (collectively referred to as "CdX"), and may further comprise a passivating shell comprised of YZ wherein Y is Cd or Zn, and Z is S, or Se.

20 Typically, CdX core/YZ shell quantum dots are overcoated with trialkylphosphine oxide, with the alkyl groups most commonly used being butyl and octyl. In one preferred embodiment, the CdX cor/YZ shell quantum dots are treated with a large excess of mercaptocarboxylic acid in exchanging

25 the trialkylphosphine oxide coat with a coat comprising a plurality of carboxylic acid molecules. For example, (CdSe)ZnS nanocrystals were prepared in a pyridine solution. The pyridine overcoating of the (CdX) core/YZ shell nanocrystals were exchanged with a carboxylic acid comprising

30 mercaptocarboxylic acid. Exchange of the coating group is accomplished by treating the water-insoluble, pyridine-capped quantum dots with a large excess of neat mercaptocarboxylic acid. To accomplish this, the pyridine-capped (CdSe)ZnS quantum dots were precipitated with hexanes, and

then isolated by centrifugation. The residue was dissolved in neat mercaptoacetic acid, with a few drops of pyridine added, if necessary, to form a transparent solution. Chloroform was added to precipitate the nanocrystals and

5 wash away excess thiol. The nanocrystals were isolated by centrifugation, washed once more with chloroform, and then washed with hexanes. The residue was briefly dried with a stream of argon. The resultant nanocrystals, coated with molecules of carboxylic acid, were then soluble in water or

10 other aqueous solutions. The nanocrystals, in an aqueous solution, were centrifuged once more, filtered through a 0.2 μm filter, degassed with argon, and stored in an amber vial. The nanocrystals may then be further functionalized by amino acid comprising a diaminocarboxylic acid. The diaminocar-

15 boxylic acid molecules were operably bound to the carboxylic acid molecules of the nanocrystals by using commercially available crosslinking agents and methods known to those skilled in the art. For example, the carboxylic acid-coated nanocrystals were dissolved in an aqueous buffer system (pH

20 of about 7). To the nanocrystals was added EDC (1-ethyl-3-[3-dimethylaminopropyl] carbodiimide) and sulfoNHS (sulfo-N-hydroxysuccinimide) in 500-1000 times excess. The resulting solution was stirred at room temperature for 30 minutes. Mercaptoethanol was added to neutralize unreacted EDC at 20

25 mM concentration and stirred for 15 minutes. The entire solution was then added drop-wise, with stirring, to a solution of a diaminocarboxylic acid comprising lysine (large excess) in the same buffer; and the mixture was stirred for 2 hours at room temperature. Ethanolamine (30 mM) was added

30 to quench the reaction; and the mixture was stirred for 30 minutes at room temperature or left overnight at 4°C. The solution was centrifuged to remove any precipitated solids, and then ultrafiltered through a 30kD MW centrifugal filter. The resultant concentrated, fluorescent nanocrystals can be

solubilized in an aqueous solution of choice. Once solubilized, the resulting solution can be stored in an amber vial under an inert gas to prevent flocculation. The fluorescent nanocrystals may be operably bound to a successive layer of amino acid molecules by, for example, repeating the procedure and reaction using EDC and sulfoNHS with the amino acid molecules comprising the successive layer.

Similarly, a nanocrystal comprising a doped metal oxide nanocrystal may be operably bound to a plurality of molecules (e.g., a carboxylic acid, and amino acid, or a combination thereof) using methods known in the art. For example, the plurality of molecules having reactive functionalities comprising free carboxyl groups can be chemisorbed, adsorbed or otherwise permanently added to the metal oxide portion of the nanocrystal. For example, the metal oxide nanocrystals are suspended in an aqueous solution of an amino acid comprising homocysteine having a pH of about 3.5 for about an hour. The reaction is then stopped by adjusting the pH to neutral, and dialyzing out the aqueous solution.

As an alternative, fluorescent nanocrystals functionalized with a plurality of homocysteine molecules were prepared as follows. Nanocrystals (e.g., (CdSe)ZnS) coated with an organic layer (e.g., mercaptoacetic acid) were treated with a molar excess of homocysteine in replacing the organic layer with a coating comprising a plurality of homocysteine molecules. The approximate number of surface Zn sites on the specific size of nanocrystals utilized was calculated. At least a 5 times molar excess of homocysteine (as compared to the number of surface Zn sites) was added to the nanocrystals, as per the following formula.

Grams homocysteine = 5(number of Zn surface sites) (volume of solution containing the nanocrystals) (concentration of nanocrystals in solution) (135.2).

5 The mixture was stirred to dissolve the homocysteine, and then stored at 4°C for 24 hours. The resultant solution was then centrifuged to remove any precipitate, and the supernatant was transferred to a centrifugal filter for the appropriate volume of supernatant (preferably, with a
10 molecular weight cutoff of about 10 kD or below to retain the fluorescent nanocrystals coated with homocysteine). After centrifugation, and when the desired minimum volume is reached, the fluorescent nanocrystals were then rediluted in the appropriate aqueous solution (e.g., HEPES buffer) to a
15 volume in which the original mass of homocysteine had been dissolved. The steps of filtering and redilution of the fluorescent nanocrystals in solution may be repeated to improve purity. The resultant fluorescent nanocrystals comprising homocysteine-coated nanocrystals may then be
20 degassed by bubbling with an inert gas, and then stored at 4°C in an amber bottle.

EXAMPLE 2

This example illustrates one embodiment of fluorescent
25 microspheres, and a method of making the fluorescent microspheres, according to the present invention. In this example, polymeric microspheres are labeled with fluorescent nanocrystals by contacting the polymeric microspheres with fluorescent nanocrystals under suitable conditions for the
30 fluorescent nanocrystals to become operably bound to the polymeric microspheres in forming fluorescent microspheres. In a preferred embodiment, each polymeric microsphere comprises multiple molecules of reactive functionality comprising a free chemical group, and the fluorescent nanocrystals

comprise multiple molecules of reactive functionality comprising reactive chemical groups which are capable of becoming operably bound to the reactive functionality of the polymeric microsphere under suitable conditions so that a plurality of fluorescent nanocrystals become operably bound to a polymeric microsphere in forming a fluorescent microsphere. For example, the polymeric microspheres comprise a reactive functionality comprising an amino group, and the fluorescent nanocrystals comprise a reactive functionality comprising an amino-reactive group (e.g., carboxyl or amine). In another illustrative example, the polymeric microspheres comprise a reactive functionality comprising a thiol group and the fluorescent nanocrystals comprise a reactive functionality comprising a thiol-reactive group (e.g., amine group).

The polymeric microsphere used in this illustration comprised amine-activated polystyrene-based beads of a size of about 8.8 μm . More particularly, their composition comprised 25% styrene, 55% divinylbenzene, 20% glycidylmethacrylate, which was activated with ethylenediamine. Approximately 2.7×10^6 polymeric microspheres (in a volume of 100 μl aqueous solution) was mixed with 10 μl of a 10 μM fluorescent nanocrystal solution, and the mixture was gently agitated at room temperature for 20 minutes. The resultant fluorescent microspheres formed were then collected by centrifugation (e.g., 2 minutes at 2000 x g), washed with an aqueous solution, and then collected by centrifugation again. To confirm the formation of fluorescent microspheres, the resultant microspheres were suspended in a non-aqueous medium (e.g., dimethylsulfoxide, or mineral oil, or heptane) and placed onto a slide for viewing under a fluorescence microscope. Alternatively, the solution containing the resultant microspheres was dried onto a slide for viewing under a fluorescence microscope. The results in Table 3

are illustrative of the fluorescence emitted by fluorescent microspheres according to the present invention. Type 1 fluorescent microspheres comprise fluorescent nanocrystals (homocysteine-coated (CdSe)ZnS) operably bound to amine-activated polymeric microspheres; type 2 fluorescent microspheres comprise fluorescent nanocrystals (homocysteine-coated (CdSe)ZnS; different in size than type 1) operably bound to amine-activated polymeric microspheres; type 3 fluorescent microspheres comprise fluorescent nanocrystals (mercaptocarboxylic acid-coated (CdSe)ZnS) operably bound to amine-activated polymeric microspheres; type 4 fluorescent microspheres comprise fluorescent nanocrystals ((CdSe)ZnS nanocrystals comprising a first coat comprising mercaptocarboxylic acid, and a second coat comprising diaminocarboxylic acid) operably bound to amine-activated polymeric microspheres; and a control comprising polymeric microspheres alone. In the fluorescence analyses, the excitation spectrum was from about 360 to about 380 nm. The resultant respective emission, as described by the color observed using the fluorescence microscope and the approximate peak emission wavelength, is listed for each of the type of microsphere.

Table 3

Microsphere type	Fluorescence emission
type 1	red (605 nm)
type 2	Green (545 nm)
type 3	red (614 nm)
type 4	yellow (573 nm)
control	-

25

To further illustrate the attendant advantages of the fluorescent microspheres according to the present invention, FIG. 1 illustrates the relative intensity over time after

excitation (arrow) of an exemplary fluorescent microsphere as compared to that of a comparative fluorescent nanocrystal used in producing a fluorescent microsphere.

5

EXAMPLE 3

This example illustrates embodiments of fluorescent microspheres, and a method of making the fluorescent microspheres, according to the present invention; wherein polymeric microspheres are labeled with fluorescent nanocrystals by contacting the polymeric microspheres with fluorescent nanocrystals under suitable conditions for the fluorescent nanocrystals to become embedded into the polymeric microspheres in forming fluorescent microspheres. In a process of making these fluorescent microspheres, the polymeric microspheres are first exposed to conditions suitable for swelling them in size (e.g., also referred to as "expanded") so as to increase porosity in allowing fluorescent nanocrystals, present in the reaction process, to enter into pores at the surface of each swollen polymeric microsphere. The polymeric microspheres are then exposed to suitable conditions in which the polymeric microspheres become unswollen, thereby physically entrapping the fluorescent nanocrystals in the pores of the polymeric microspheres. Thus, by this process, the fluorescent nanocrystals become embedded in the surface of a polymeric microsphere.

In one embodiment of this example, the polymeric microspheres are swelled by exposing them to a temperature sufficient to soften the polymer composition of the polymeric microspheres, but below the melting point of the polymer composition. The suitable conditions may further comprise pressurizing the polymeric microspheres (e.g., to a pressure above atmospheric pressure) which can be used to shorten the time in which to heat the polymeric microspheres to make them swell. Suitable conditions for swelling polymeric

microspheres to physically entrap fluorescent nanocrystals can be determined using methods customary in the art. As will be apparent to those skilled in the art, the time and temperature used to swell the polymeric microspheres will
5 depend on the nature (e.g., composition) of the polymeric microspheres. For example, it is generally known that polymeric microspheres comprised of polystyrene can be softened at temperatures in the range of from about 200°C to about 250°C for a time of about 0.5 to about 10 hours
10 (depending on the type of polystyrene). Likewise, the amount of superatmospheric pressure to which the polymeric microspheres may be exposed will depend on the temperature of heating, and the nature (e.g., composition) of the polymeric microspheres. For example, to form fluorescent micro-
15 spheres, the polymeric microspheres capable of being swelled to increase porosity are added to a solution containing the fluorescent nanocrystals, wherein the resultant reaction suspension is contained within a reaction vessel. The reaction suspension in the reaction vessel is then subjected
20 to suitable conditions (e.g., heat, or heat and pressurization) to effect swelling of the polymeric microspheres and entry of the fluorescent nanocrystals into the pores of the swelled polymeric microspheres. The reaction is stopped (e.g., allow the suspension to cool to ambient temperature;
25 or cooling with venting to reduce pressure to atmospheric) resulting in the unswelling of the polymeric microspheres, and the physical entrapment of fluorescent nanocrystals in forming fluorescent microspheres having a uniform distribution of fluorescent nanocrystals embedded therein. The
30 process may further comprise purifying the fluorescent microspheres from any free fluorescent nanocrystals in the reaction suspension (e.g., by one or more of: size such as by centrifugation, size exclusion chromatography, and the like; by affinity chromatography if the fluorescent micro-

spheres further comprise affinity ligand). It will be apparent to one skilled in the art that the ratio of fluorescent nanocrystals to polymeric microspheres may vary with factors which include, but are not limited to, the size of the polymeric microspheres, the desired fluorescent intensity of the resultant fluorescent microspheres, and the like. Preferably, the fluorescent nanocrystals are in a sufficient amount to saturate the surface of each polymeric microsphere present in the reaction. While not intended to be limiting, generally the amount of fluorescent nanocrystals in the reaction is less than or equal to about 20% by weight of the polymeric microspheres in the reaction.

In another embodiment, the polymeric microspheres are swelled by exposing them to an organic medium comprising one or more organic solvents which are able to swell the polymeric microspheres. The degree of swelling necessary for physically entrapping the fluorescent nanocrystals in the polymeric microspheres can be adjusted by the type and amount of solvent using customary methods. As will be apparent to those skilled in the art, the time of exposure to, and concentration of, the one or more solvents used to swell the polymeric microspheres will depend on the nature of the composition of the polymeric microspheres, and the composition of the organic medium used. For example, it is generally known that a wide variety of common liquid organic solvents can be used to swell polymeric microspheres in a controlled manner so as not to permanently damage the polymeric microspheres themselves. Useful solvents may include, but are not limited to, dimethyl sulfoxide (DMSO), dimethylformamide (DMF), toluene, tetrahydrofuran, chloroform, methylene chloride, acetones, acetonitrile, alcohols, or a combination thereof. In one preferred embodiment, the organic medium is water-miscible. In another preferred embodiment, the organic medium is in a concentration of 30%

or more (v/v) for performing the swelling. For example, to form fluorescent microspheres, the polymeric microspheres capable of being swelled to increase porosity are added to organic medium comprising the one or more solvents, and also
5 containing the fluorescent nanocrystals, wherein the resultant reaction suspension is contained within a reaction vessel for a sufficient time to effect the swelling of the polymeric microspheres. The reaction is stopped (e.g., by removing the organic medium from contacting the polymeric
10 microspheres) resulting in unswelling of the polymeric microspheres, and the physical entrapment of fluorescent nanocrystals in forming fluorescent microspheres having a uniform distribution of fluorescent nanocrystals embedded therein. The process may further comprise purifying the
15 fluorescent microspheres from any free fluorescent nanocrystals in the reaction suspension (e.g., by one or more of: size such as by centrifugation, size exclusion chromatography, and the like; by affinity chromatography if the fluorescent microspheres further comprise affinity ligand).
20 While not intending to be limiting, and in a preferred embodiment, generally the reaction is carried out at a temperature in the range of from about 5°C to about 30°C during a sufficient period of time for the organic medium to diffuse or absorb into the polymeric microspheres to cause
25 their swelling. It will be apparent to one skilled in the art that the ratio of fluorescent nanocrystals to polymeric microspheres may vary with factors which include, but are not limited to, the size of the polymeric microspheres, the desired fluorescent intensity of the resultant fluorescent
30 microspheres, and the like. Preferably, the fluorescent nanocrystals are in a sufficient amount to saturate the surface of each polymeric microsphere present in the reaction. While not intended to be limiting, generally the amount of fluorescent nanocrystals in the reaction is less

than or equal to about 20% by weight of the polymeric microspheres in the reaction.

In a preferred embodiment, the swellable polymeric microspheres (and the resultant fluorescent microspheres) further comprise multiple molecules of reactive functionality comprising a free chemical group which may include, but is not limited to, carboxyl, amine, amide, thiol, ester, sulfhydryl, and the like. The surface reactive functionalities of a fluorescent microsphere may be used as a means for operably binding affinity ligand to the fluorescent microsphere, wherein the affinity ligand has a free chemical group which is reactive (in forming a bond) with the surface reactive functionalities of the microsphere. For example, using conventional chemistry, affinity ligand that may be operably bound to the surface of the fluorescent microspheres may include, but are not limited to, antibody, avidin, biotin, protein A or G, lectin, aptamer, a nucleic acid molecule (e.g., RNA, DNA, hybrids, single stranded, double stranded, synthetic, oligonucleotides, etc.), a carbohydrate chain, a protein with binding specificity for an analyte, and the like. The fluorescent microspheres that further comprise affinity ligand are then used as a detection reagent in an assay for determining the presence or absence of an analyte for which the affinity ligand has binding specificity, as is disclosed herein in more detail.

This example illustrates an embodiment of the fluorescent microspheres according to the present invention, as well as a process for making the fluorescent microspheres. The polymeric microspheres used in this illustration comprised amine-activated polystyrene-based beads of a size of about 7.3 μm . More particularly, their composition comprised 70% methylmethacrylate, 20% glycidylmethacrylate, and 10% ethylene glycol dimethacrylate. A 10% (w/w) suspension of the polymeric microspheres (in a volume of 10 μl)

was diluted in a reaction vessel with an organic medium comprised of either of two solvents, DMSO or DMF (90 μ l). To each was added 10 μ l of a 10 μ M fluorescent nanocrystal solution (in an aqueous buffer; e.g., HEPES), and the

5 resultant reaction suspension was mixed and incubated at room temperature for a sufficient time for swelling of the polymeric microspheres. Although a sufficient time may comprise only minutes, in this case the reaction was allowed to proceed for a time that ranged from about 1 hour to about 24

10 hours. The reactions were stopped by adding to the respective reaction suspension a water-based buffer or water, and then removing the solvent. In this case, to each reaction suspension was added, and mixed with, 1 ml of HEPES buffer, followed by pelleting the resultant fluorescent microspheres

15 by centrifugation (e.g., 2 minutes at 2000 x g). Each preparation of fluorescent microspheres was washed again with the buffer, and then collected by centrifugation. Each of the preparations of fluorescent microspheres was then resuspended in 20 μ l of buffer.

20 To confirm the formation of fluorescent microspheres, a 10 μ l of each of the preparations of fluorescent microspheres was suspended in a non-aqueous medium (e.g., formalin solution (4% formaldehyde), dimethylsulfoxide, or mineral oil) and placed onto a microscopic slide for viewing

25 under a fluorescence microscope. After excitation with ultraviolet light, and using a 425 nm long pass emission filter, each of the preparation of fluorescent microspheres was observed under fluorescent microscopy as being a strong red fluorescence (614 nm), characteristic of the fluorescent

30 nanocrystals (homocysteine-coated (CdSe)ZnS) embedded in the fluorescent microspheres. To further illustrate an attendant advantage of the fluorescent microspheres according to the present invention, FIG. 2 illustrates the relative

intensity of an exemplary fluorescent microspheres ("FM") compared to that of comparative fluorescent nanocrystals ("NC") used in producing the fluorescent microspheres, expressed as a ratio of FM:NC, and with respect to concentration of analyte ("antigen"). As previously described herein, in a detection assay the intensity of the fluorescent microspheres having affinity ligand bound thereto significantly increases, compared to comparative functionalized nanocrystals having affinity ligand bound thereto, as the concentration of analyte (for which the affinity ligand has binding specificity) decreases.

EXAMPLE 4

This example illustrates another embodiment of fluorescent microspheres, and a method of making the fluorescent microspheres, according to the present invention; wherein polymeric microspheres are contacted with fluorescent nanocrystals under suitable conditions for forming fluorescent microspheres, and wherein the fluorescent microspheres further comprise a plurality of molecules of affinity ligand which are contacted with the fluorescent microspheres under suitable conditions for the affinity ligand to be operably bound to the fluorescent microspheres. In one preferred embodiment of the present invention, the polymeric microspheres have affinity ligand operably bound thereto before fluorescent nanocrystals are operably bound to the polymeric microspheres in producing fluorescent microspheres according to the present invention. In another preferred embodiment, fluorescent microspheres are produced first (e.g., by operably binding the fluorescent nanocrystals to, or embedding the fluorescent nanocrystals in, the polymeric microspheres), and then the affinity ligand is operably bound to the fluorescent microspheres. In illustrating this latter preferred embodiment, fluorescent microspheres were made

according to the methods described in Example 2 herein. To approximately 1.4×10^7 fluorescent microspheres (in a volume of 500 μ l aqueous solution) was added 2 mg of EDC (in 100 μ l aqueous solution) and 5 mg sulfo-NHS (in 100 μ l aqueous solution), and the mixture was mixed for 10 minutes. Mercaptoethanol (1 μ l) was added to the mixture with stirring for 5 minutes. Affinity ligand (in this illustrative embodiment, neutravidin; 10 μ g) was added to the mixture with stirring for 1 hour. TRIS (30mM) was then added to the mixture with stirring for 30 minutes. The resultant fluorescent microspheres were then pelleted by centrifugation, were washed several times in aqueous solution to wash away free neutravidin, and then resuspended in an aqueous solution.

The following example illustrates (a) a test that neutravidin was operably bound to the fluorescent microspheres; and (b) a method of using the fluorescent microspheres to detect an analyte in a sample. Approximately 1.4×10^6 fluorescent microspheres in 10 μ l of aqueous solution was mixed and incubated with approximately 3×10^5 biotinylated polystyrene beads (6.7 μ m in diameter) for 30 minutes at room temperature. The mixture comprising fluorescent microspheres and polystyrene beads was washed with aqueous solution and vigorously mixed to break up any clumping do to non-specific aggregation. The microspheres and beads were centrifuged, resuspended in DMSO, mixed again, and then mounted on a microscope slide with a coverslip. The slide was then examined under bright-field and fluorescence microscopy. The analysis showed that nearly all biotinylated polystyrene beads were bound to fluorescent microspheres. The observed binding included large aggregates of beads and microspheres together. Few instances of non-specific aggregation were observed.

As an additional test that neutravidin was operably bound to the fluorescent microspheres, a dot blot was performed in a microfuge tube. Approximately 1.4×10^6 fluorescent microspheres were placed in a 1.5 ml microfuge tube. Added to the tube was a blocking solution (1% dry non-fat milk, 0.05% detergent, in buffer) for an incubation of 1 hour. The fluorescent microspheres were then pelleted by centrifugation. The fluorescent microspheres were then resuspended in 1 $\mu\text{g/ml}$ biotin-labeled rabbit anti-mouse IgG in blocking solution, incubated for one hour, and then followed by several cycles of pelleting and washing. The fluorescent microspheres were then resuspended in 1 $\mu\text{g/ml}$ horseradish peroxidase-labeled goat anti-rabbit-IgG in blocking solution, incubated for one hour, and then followed by several cycles of pelleting and washing. The fluorescent microspheres were then resuspended in a color development reagent (DAB) for 15 minutes, and then washed to remove excess color development solution. By visual examination, the fluorescent microspheres were strongly stained dark brown, indicating that neutravidin was operably bound to the surface of the fluorescent microspheres.

In another example of fluorescent microspheres and a method of making the fluorescent microspheres according to the present invention, the polymeric microspheres are swelled and unswelled under suitable conditions so as to physically entrap fluorescent nanocrystals in forming fluorescent microspheres, and wherein the fluorescent microspheres further comprise a plurality of molecules of affinity ligand which are contacted with the fluorescent microspheres under suitable conditions for affinity ligand to be operably bound to the fluorescent microspheres. In one preferred embodiment of the present invention, the fluorescent microspheres are formed first, and then affinity ligand is operably bound thereto in producing fluorescent microspheres further com-

prising affinity ligand according to the present invention. In illustrating this preferred embodiment, fluorescent microspheres are made according to one of the methods described in Example 3 herein. To approximately 1.4×10^7 fluorescent microspheres (in a volume of 500 μ l aqueous solution) is added 2 mg of EDC (in 100 μ l aqueous solution) and 5 mg sulfo-NHS (in 100 μ l aqueous solution), and the mixture is mixed for 10 minutes. Mercaptoethanol (1 μ l) is added to the mixture with stirring for 5 minutes. Affinity ligand (in this illustrative embodiment, neutravidin; 10 μ g) is added to the mixture with stirring for 1 hour. TRIS (30mM) is then added to the mixture with stirring for 30 minutes. The resultant fluorescent microspheres are then pelleted by centrifugation, washed several times in aqueous solution to wash away free neutravidin, and then resuspended in an aqueous solution.

These illustrative examples show that affinity ligand may be operably bound to fluorescent microspheres while retaining the ability of the bound affinity ligand to interact with analyte for which it has binding specificity.

EXAMPLE 6

This example illustrates another embodiment of fluorescent microspheres according to the present invention, and further illustrates a method of making the fluorescent microspheres according to the present invention. In this illustrative embodiment the fluorescent microspheres comprised fluorescent nanocrystals which label (operably bound to or embedded in the surface of) polymeric microspheres comprising a magnetic responsive material ("magnetic material") with a polymeric, nonmagnetic coating. Such polymeric microspheres are known to include general characteristics as follows. First, magnetic materials useful for

the microspheres may include, but are not limited to, ferromagnetic, ferrimagnetic, paramagnetic, superparamagnetic materials, and the like. Such magnetic materials may include, but are not limited to: metals, such as nickel, iron, cobalt, chromium, manganese, and the like; lanthanide series elements, such as neodymium, erbium, and the like; alloys such as magnetic alloys of metals; metal oxides, such as ferric oxide, chromium oxide, nickel oxide, and the like; composites, such as ferrites, magnetite, and the like; and combinations thereof. As will be appreciated by those skilled in the art, the diameter of a core of magnetic material core may vary widely depending on the size of the polymeric microsphere of which it is a part; the composition, shape, size and density of the magnetic material; and the assay protocol in which the polymeric microsphere is used. In a preferred embodiment, the diameter of a magnetic material core is a size in the range of from about 0.01 μm to about 10 μm . Polymeric materials into which may be embedded the magnetic material, or with which may be used to coat a magnetic material core, have been previously described herein in more detail. As known to those skilled in the art, the polymeric microspheres comprising magnetic material may comprise: a magnetic material core and a polymeric, nonmagnetic coating; a nonmagnetic core (e.g., polymeric or other nonmagnetic material) with a magnetic material layer thereon, and a polymeric, nonmagnetic coating; a magnetic material embedded within a polymeric, nonmagnetic material; and a magnetic material dispersed within a polymeric, nonmagnetic material (such as may be obtained by mixing the magnetic material into a solution of a thermoplastic, and then plasticizing the mixture into a solid composite).

In this illustrative example, the commercially-obtained polymeric microspheres comprised polymer-coated magnetite which were also coated with affinity ligand (either strept-

avidin (2.8 μ m diameter), or goat anti-mouse IgG (4.5 μ m diameter) on the surface of the microspheres. Thus, this example is also illustrative of an embodiment according to the present invention wherein polymeric microspheres comprising affinity ligand operably bound thereto, are then contacted with fluorescent nanocrystals under suitable conditions for the fluorescent nanocrystals to become operably bound thereto. Approximately 6.7×10^7 polymeric microspheres (in a volume of 100 μ l aqueous solution) was mixed with 100 μ l of a 10 μ M fluorescent nanocrystal solution, and the mixture was gently agitated at room temperature for 60 minutes. The resultant fluorescent microspheres formed were then collected by centrifugation (e.g., 2 minutes at 2000 x g), washed with an aqueous solution, and then collected by centrifugation again. To confirm the formation of fluorescent microspheres, the resultant microspheres were suspended in a non-aqueous medium, and placed onto a slide for viewing by fluorescence microscopy. The results in Table 4 are illustrative of the fluorescence emitted by fluorescent microspheres according to the present invention. Fluorescent microspheres comprise fluorescent nanocrystals (e.g., homocysteine-coated (CdSe) ZnS) operably bound to the magnetic polymeric microspheres having streptavidin operably bound thereto ("type A"); fluorescent microspheres comprise fluorescent nanocrystals (e.g., homocysteine-coated (CdSe) ZnS; different in size than type A) operably bound to magnetic polymeric microspheres having streptavidin operably bound thereto ("type B"); fluorescent microspheres comprise fluorescent nanocrystals (e.g., mercaptocarboxylic acid-coated (CdSe)ZnS) operably bound to magnetic polymeric microspheres having streptavidin operably bound thereto ("type C"); fluorescent microspheres comprise fluorescent nanocrystals (e.g., (CdSe)ZnS nanocrystals comprising a first coat comprising mercaptocarboxylic acid, and a second

coat comprising diaminocarboxylic acid) operably bound to magnetic polymeric microspheres having streptavidin operably bound thereto ("type D"); a control "A" comprising only polymeric microspheres having streptavidin operably bound thereto; fluorescent microspheres comprise fluorescent nanocrystals (e.g., mercaptocarboxylic acid-coated (CdSe) ZnS) operably bound to magnetic polymeric microspheres having antibody (IgG) operably bound thereto ("type E"); fluorescent microspheres comprise fluorescent nanocrystals (e.g., (CdSe)ZnS nanocrystals comprising a first coat comprising mercaptocarboxylic acid, and a second coat comprising diaminocarboxylic acid) operably bound to magnetic polymeric microspheres having antibody operably bound thereto ("type F"); and a control "B" comprising only polymeric microspheres having antibody operably bound thereto. In the fluorescence analysis, the excitation spectrum was from about 360 to about 380 nm. The resultant respective emission, as described by the color observed using the fluorescence microscope is listed for each type of microsphere.

20

Table 4

Microsphere type	Fluorescence emission
type A	orangish red
type B	yellowish green
type C	orange
type D	yellow
type E	orangish red
type F	yellow
control A	dim yellow (weak autofluorescence)
control B	-

The following example illustrates (a) a test that affinity ligand of the polymeric microspheres was still functional (e.g., could bind to analyte for which it has binding specificity) after fluorescent nanocrystals were operably bound to the polymeric microspheres in forming

25

fluorescent microspheres according to the present invention;
and (b) a method of using the fluorescent microspheres to
detect an analyte in a sample. Approximately 1.4×10^6
fluorescent microspheres (as produced according to this
5 Example; and comprising streptavidin as affinity ligand) in
10 $10 \mu\text{l}$ of aqueous solution was mixed and incubated with
approximately 6×10^5 biotinylated polystyrene beads ($6.7 \mu\text{m}$
in diameter) for 30 minutes at room temperature. The mix-
ture comprising fluorescent microspheres and polystyrene
15 beads was washed with aqueous solution and vigorously mixed
to break up any clumping do to non-specific aggregation.
The microspheres and beads were centrifuged, resuspended in
DMSO, mixed again, and then mounted on a microscope slide
with a coverslip. The slide was then examined under bright-
20 field and fluorescence microscopy. The analysis showed that
nearly all biotinylated polystyrene beads were bound to
fluorescent microspheres. The observed binding included
large aggregates of beads and microspheres together. Few
instances of non-specific aggregation were observed. This
25 illustrative example shows that fluorescent nanocrystals may
be operably bound to polymeric microspheres comprising affi-
nity ligand in forming fluorescent microspheres which retain
the ability of the affinity ligand to interact with a
analyte for which it has binding specificity.
30 In another example, commercially-obtained polymeric
microspheres comprising polymer-coated magnetite may be used
in the process according to Examples 3 & 4 herein, in physi-
cally entrapping fluorescent nanocrystals in forming fluor-
escent microspheres. The resultant fluorescent microspheres
may further comprise affinity ligand by using a process
according to Examples 4 & 5 herein.

EXAMPLE 7

This example illustrates one embodiment of a

method of using the fluorescent microspheres according to the present invention to provide an identifiable fluorescence signal pattern. For example, semiconductor nanocrystals can be produced in several uniform sizes, with each size comprising a homogeneous population capable of emitting a discrete fluorescence emission of high quantum yield (i.e., the particular color emitted is primarily dependent on the size of the nanocrystal), but wherein the heterogeneous population (a combination of homogeneous populations) can be excited with a single wavelength spectrum of light, and can emit a distinguishably detectable ("discrete") fluorescence emission spectra representative of the homogeneous populations. Likewise, depending on the dopant for a doped metal oxide nanocrystal, a homogeneous population (e.g., containing the same type and amount of dopant) is capable of emitting a discrete fluorescence emission of high quantum yield, but wherein the heterogeneous population (a combination of homogeneous populations) can be excited with a single wavelength spectrum of light, and can emit a distinguishably detectable fluorescence emission spectra representative of the homogeneous populations. Thus, a fluorescent microsphere may comprise an identifiable fluorescence signal pattern comprised of one (e.g., capable of fluorescing a single color) or more (capable of fluorescing in multicolor) homogeneous populations of fluorescent nanocrystals which comprise a part (component) of the fluorescent microsphere. For example, where the fluorescent microsphere comprises a homogeneous population of fluorescent nanocrystals, the fluorescent nanocrystals may be dispersed over the general shape of the fluorescent microsphere, or may be spatially arranged (e.g., multiple deposits ("localizations") on the polymeric microsphere which may be controlled by controlling the availability and location of reactive functionalities on the polymeric micro-

sphere to which the fluorescent nanocrystals become operably bound) in providing a fluorescence signal pattern comprised of a single color of fluorescence, and as measured by a peak intensity. Likewise, where the fluorescent microsphere comprises a heterogeneous population of fluorescent nanocrystals, the fluorescent nanocrystals may be dispersed over the general shape of the fluorescent microsphere, or may be spatially arranged (e.g., multiple deposits ("localizations")) on the polymeric microsphere which may be controlled by controlling the availability and location of reactive functionalities on the polymeric microsphere to which the fluorescent nanocrystals become operably bound) in providing a fluorescence signal pattern comprised of more than one color of (multicolor) fluorescence with each color capable of being detectably distinguishable from the other colors.

In another example, and where the fluorescent microsphere comprises a homogeneous population of fluorescent nanocrystals, the fluorescent nanocrystals may be dispersed by physical entrapment to cover the general shape of the fluorescent microsphere in providing a fluorescence signal pattern comprised of a single color of fluorescence, and as measured by a peak intensity. Likewise, where the fluorescent microsphere comprises a heterogeneous population of fluorescent nanocrystals, the fluorescent nanocrystals may be dispersed by physical entrapment to cover the general shape of the fluorescent microsphere in providing a fluorescence signal pattern comprised of more than one color of (multicolor) fluorescence with each color capable of being detectably distinguishable from the other color or colors by their peak emission spectra (e.g., are spectrally resolvable).

Also, a fluorescence signal pattern emitted by one or more fluorescent microspheres may comprise a fluorescence signal pattern comprised of detectably distinguishable

intensities of one or more colors. A code representative of the fluorescence signal pattern, and of the one or more fluorescent microspheres emitting the fluorescence signal pattern, may comprise an identifier (e.g., one or more
5 numbers) for each color comprising the fluorescence signal pattern, and may further comprise an identifier representative of the intensity of each color comprising the fluorescence signal pattern (e.g., wherein the code comprises a combination of the identifiers, such as a string of numbers
10 in a range of from about 2 numbers to about 100 numbers). Thus, an identifiable fluorescence signal pattern comprised of a plurality of colors (or colors and intensities) enables a large number of combinations and permutations which may be used to identify or track fluorescent microspheres exposed
15 to an exciting light source and detection of the resultant fluorescence emission. Thus, fluorescent microspheres may be used in multidimensional array formats (e.g., microarrays) for detecting a plurality of analytes by depositing on and/or flowing the fluorescent microspheres in the
20 desired array format, and utilizing an appropriate detection system to detectably distinguish the fluorescent signal patterns (e.g., as measured by number of events of fluorescence versus the intensity of fluorescence, using a fluorescence microscope with a video camera attachment and computer
25 software program for manipulating and storing the data collected).

EXAMPLE 8

This example illustrates another embodiment of a
30 method of using the fluorescent microspheres according to the present invention for determining the presence or absence of a predetermined number of analytes in a sample. The determination may be qualitative or quantitative, depending on the assay format utilized. A predetermined

number of analytes means a single analyte if it is desired to determine the presence or absence of that analyte alone; or more than one analyte when it is desired to determine the presence or absence of any one of multiple analytes. The

5 fluorescent microspheres may comprise a homogenous population which is capable of fluorescing a peak emission (fluorescent signal pattern) when excited by an excitation light source, and further comprises affinity ligand having binding specificity for the analyte of which the presence or absence

10 is to be determined. Alternatively, the fluorescent microspheres may comprise a heterogeneous population comprising multiple homogenous populations, wherein each homogenous population is capable of emitting a fluorescence signal pattern distinguishable from the fluorescence signal patterns of other homogenous populations comprising the heterogeneous population, and wherein the heterogeneous population may be excited by a single excitation light source. Each homogenous population may further comprise affinity ligand having binding specificity for an analyte of the predetermined

15 number of analytes of which the presence or absence is to be determined. Thus, a method of using the fluorescent microspheres for determining the presence or absence of a predetermined number of analytes in a sample comprises:

20 (a) contacting the fluorescent microspheres with the sample under suitable conditions for the fluorescent microspheres to bind the predetermined number of analytes, if present in the sample, in forming complexes;

(b) exposing the complexes, if formed, to an excitation wavelength light source suitable for exciting the fluorescent

25 microspheres of the complexes to emit a fluorescence signal pattern; and

(c) detecting the fluorescence signal pattern emitted by the complexes, if present, by a detection means for detecting the fluorescence signal pattern;

30

wherein detection of the fluorescent signal pattern is indicative of the presence of an analyte of the predetermined number of analytes. Wherein the presence of an analyte is detected, the method may further comprise quantitating the amount of analyte by measuring the intensity of the fluorescence signal pattern emitted from the fluorescent microspheres bound to the analyte, and relating the intensity measured to the amount of analyte. The method may be used in a fluorescent detection system selected from the group consisting of an affinity-based assay, fluorescence-based immunoassay, fluorescent staining (e.g., immunofluorescent staining on a glass slide), flow cytometry, a hybridization-based assay, and the like.

In a preferred embodiment, the fluorescence signal pattern comprises one or more fluorescence emission peaks, wherein each peak has a narrow spectral band (e.g. between about 4 nm to about 50 nm) in the range of from about 400 nm to about 800 nm. A preferred excitation light source for exciting the fluorescent microspheres according to the present invention is in the range of about 300 nm to about 400 nm; and in a more preferred embodiment, from about 360 nm to about 365 nm. Any fluorescence signal pattern emitted is then detected and imaged by appropriate detection means or system (e.g., one or more of: photodetector, filter, charge couple device camera (CCD camera) fluorimeter, fluorescence microscope, a fluorescence cube, a computer for manipulating fluorescence signal pattern data collected, and a combination thereof).

EXAMPLE 9

In this example, illustrated is an embodiment of a kit which comprises one or a combination of types of fluorescent microspheres according to the present invention. For example, a kit may be provided which comprises one or more

separate containers, wherein each container has contents comprising fluorescent microspheres capable of fluorescing a specific fluorescence pattern (e.g., one color or a desired combination of colors). In one example, the fluorescent
5 microspheres may comprise reactive functionalities which allow a user of the kit to operably bind affinity ligand of the user's choice to the fluorescent microspheres. Thus, the kit may provide the user with the flexibility to prepare a customized detection reagent comprising the fluorescent
10 microspheres operably bound to affinity ligand of the user's choice. In further illustration, the kit may comprise 3 containers, wherein one container has contents comprising fluorescent microspheres capable of fluorescing red; a second container has contents comprising fluorescent micro-
15 spheres capable of fluorescing yellow; a third container has contents comprising fluorescent microspheres capable of fluorescing green; wherein the contents of each container are capable of being operably bound to affinity ligand via the reactive functionalities of the respective type (e.g.,
20 fluorescing color) of fluorescent microspheres. Alternatively, the different types (e.g., the three types distinguished above by color of fluorescence/specific fluorescence pattern) may all be contents of a single container.

25 In another example, the fluorescent microspheres contained in each separate container comprising the kit further comprise affinity ligand operably bound thereto. Thus, the fluorescent microspheres may be used as detection reagents as described herein in more detail. For example,
30 the kit may comprise a single container having contents comprising fluorescent microspheres further comprising affinity ligand having binding specificity for a desired analyte; or may comprise more than one type of fluorescent microspheres wherein each individual type has affinity

ligand having a different binding specificity than affinity
ligand of the other types of fluorescent microspheres in the
single container. Alternatively, each of plurality of types
of fluorescent microspheres (differing in binding specifi-
5 city) may be individually packaged in a separate container,
such that the kit is now comprised of a plurality of
containers.

The foregoing description of the specific embodiments
10 of the present invention have been described in detail for
purposes of illustration. In view of the descriptions and
illustrations, others skilled in the art can, by applying,
current knowledge, readily modify and/or adapt the present
invention for various applications without departing from
15 the basic concept, and therefore such modifications and/or
adaptations are intended to be within the meaning and scope
of the appended claims.

What is claimed:

20

25

30

1. A fluorescent microsphere comprised of a polymeric
microsphere which is labeled with a plurality of fluorescent
nanocrystals; wherein the plurality of fluorescent
nanocrystals are either physically entrapped in, or are
5 operably bound to, the polymeric microsphere; and wherein
the fluorescent nanocrystals further comprise reactive
functionalities.
2. A fluorescent microsphere comprised of a plurality of
10 fluorescent nanocrystals operably bound to a polymeric
microsphere, wherein the fluorescent nanocrystals further
comprise reactive functionalities.
3. A fluorescent microsphere comprised of a plurality of
15 fluorescent nanocrystals physically entrapped in a polymeric
microsphere, wherein the fluorescent nanocrystals further
comprise reactive functionalities.
4. The fluorescent microsphere according to any of claims
20 1-3, wherein the fluorescent nanocrystals are functionalized
with a plurality of molecules to provide the reactive
functionalities, and wherein the plurality of molecules is
selected from the group consisting of carboxylic acid,
diaminocarboxylic acid, monoaminocarboxylic acid, and a
25 combination thereof.
5. The fluorescent microsphere according to any of claims
1-3, wherein the polymeric microsphere comprises multiple
molecules of reactive functionality comprising a free
30 chemical group.
6. The fluorescent microsphere according to any of claims
1-3, wherein the polymeric microsphere comprises multiple
molecules of reactive functionality comprising a free

chemical group, and the fluorescent nanocrystals comprise multiple molecules of reactive functionality comprising a reactive chemical group which are operably bound to the reactive functionality of the polymeric microsphere.

5

7. The fluorescent microsphere according to any of claims 1-3, wherein the fluorescent nanocrystals comprise a homogenous population.

10 8. The fluorescent microsphere according to any of claims 1- 3, wherein the fluorescent nanocrystals comprise heterogeneous population.

9. The fluorescent microsphere according to any of claims 15 1-3, further comprising affinity ligand operably bound thereto.

10. The fluorescent microsphere according to any of claims 1-3, wherein the fluorescent nanocrystals have an average 20 particle size in a range of from approximately 1 nm to approximately 20 nm.

11. The fluorescent microsphere according to any of claims 1-3, wherein the fluorescent nanocrystals comprise 25 semiconductor nanocrystals.

12. The fluorescent microsphere according to claim 11, wherein the fluorescent nanocrystals have a particle size that varies by less than 4%.

30

13. The fluorescent microsphere according to any of claims 1-3, wherein the fluorescent nanocrystals comprise doped metal oxide nanocrystals.

14. The fluorescent microsphere according to claim 13,
wherein the fluorescent microsphere is magnetic.
15. The fluorescent microsphere according to any of claims
5 1-3, wherein the polymeric microsphere comprises a material
selected from the group consisting of latex, acrylic, a
glass/polymer composite, a thermoplastic, a polymeric
material in combination with a magnetic material, and a
combination thereof.
- 10 16. The fluorescent microsphere according to claim 15,
wherein the polymeric microsphere further comprises carbon
black in a weight percentage of from about 0.5 to about 5.
- 15 17. The fluorescent microsphere according to any of claims
1-3, wherein the polymeric microsphere comprises a
combination of a polymeric material and a magnetic material
selected from the group consisting of a polymeric material
into which is embedded the magnetic material, a magnetic
20 material core and a polymeric material coating, a polymeric
material core with a magnetic material layer thereon and a
polymeric material coating over the magnetic layer, and a
magnetic material dispersed within a polymeric material.
- 25 18. The fluorescent microsphere according to claim 7,
wherein the homogenous population of fluorescent
nanocrystals, when excited with an excitation light source,
emit a fluorescence signal pattern.
- 30 19. A plurality of fluorescent microspheres, wherein a
fluorescence microsphere of the plurality is according to
any of claims 1-9, which when excited with an excitation
light source, emit a fluorescence signal pattern.

20. The fluorescent microspheres according to claim 19,
wherein the fluorescence signal pattern comprises multicolor
fluorescence and detectably distinguishable intensities.
- 5 21. The fluorescent microspheres according to claims 19 or
20, wherein a code representative of the fluorescence signal
pattern, and of the fluorescent microspheres which emit the
fluorescence signal pattern, comprises an identifier for
each color comprising the fluorescence signal pattern, and
10 an identifier for the intensity of each color.
22. The fluorescent microsphere according to claim 21,
wherein the code comprises a string of numbers.
- 15 23. A code representative of the fluorescence microspheres
according to claim 21.
24. A code representative of the fluorescence microspheres
according to claim 22.
- 20 25. A kit comprising one or more containers, wherein the one
or more containers is selected from the group consisting of
a container having contents comprising fluorescence
microspheres capable of fluorescing a specific fluorescence
25 pattern, and a plurality of containers with each container
having contents comprising fluorescence microspheres capable
of fluorescing a specific fluorescence pattern different
than the specific fluorescence pattern of other contents of
the plurality of containers; wherein a fluorescent
30 microsphere is comprised of a polymeric microsphere which is
labeled with a plurality of fluorescent nanocrystals;
wherein the plurality of fluorescent nanocrystals are either
physically entrapped in, or are operably bound to, the

polymeric microsphere; and wherein the fluorescent nanocrystals further comprise reactive functionalities.

26. The kit according to claim 25 wherein the fluorescent
5 microspheres are selected from the group consisting of fluorescent microspheres with reactive functionalities, fluorescent microspheres further comprising affinity ligand operably bound thereto, and a combination thereof.

10 27. The kit according to claim 25, wherein the kit comprises a single container, and the container has contents comprising fluorescent microspheres capable of fluorescing a specific fluorescence pattern comprising a single color when excited by an excitation light source.

15 28. The kit according to claim 25, wherein the kit comprises a plurality of containers with each container having contents comprising fluorescence microspheres capable of fluorescing a specific fluorescence pattern comprising a
20 color different than the specific fluorescence pattern of contents of other containers of the plurality of containers.

29. A method of producing fluorescent microspheres, wherein a fluorescent microsphere comprises a plurality of
25 fluorescent nanocrystals operably bound to a polymeric microsphere, wherein the method comprises contacting polymeric microspheres with a plurality of fluorescent nanocrystals under suitable conditions for the plurality of fluorescent nanocrystals to become operably bound to the
30 polymeric microspheres.

30. The method according to claim 29, wherein the polymeric microspheres comprises multiple molecules of reactive functionality comprising a free chemical group, and the

fluorescent nanocrystals comprise multiple molecules of reactive functionality comprising a reactive chemical group which become operably bound to the reactive functionality of the polymeric microspheres.

5

31. A method of producing a fluorescent microspheres, wherein a fluorescent microsphere comprises a plurality of fluorescent nanocrystals embedded in a polymeric microspheres, wherein the method comprises:

10 exposing the polymeric microspheres under suitable conditions to cause swelling, and an increase in size of pores, of the polymeric microspheres, and for allowing the fluorescent nanocrystals to enter into the pores of the swelled polymeric microspheres; and

15 exposing the swelled polymeric microspheres to suitable conditions to cause the polymeric microspheres to become unswollen in decreasing size of the pores, thereby physically entrapping fluorescent nanocrystals which may be present in the pores.

20

32. The method according to claim 31, wherein the suitable conditions for swelling the polymeric microspheres comprises a temperature sufficient to soften a polymeric composition of the polymeric microspheres, and wherein the temperature
25 is below a melting point of the polymer composition.

33. The method according to claim 32, wherein the suitable conditions for unswelling the polymeric microspheres comprises reducing the temperature to a temperature
30 sufficient to decrease the pore size for physically entrapping fluorescent nanocrystals.

34. The method according to claim 32, wherein the suitable conditions further comprises pressurizing the polymeric microspheres to a pressure above atmospheric pressure.

5 35. The method according to claim 34, wherein the suitable conditions for unswelling the polymeric microspheres comprises reducing the temperature to a temperature sufficient to decrease the pore size for physically entrapping fluorescent nanocrystals, and reducing the
10 pressure to atmospheric pressure.

36. The method according to claim 31, wherein the suitable conditions for swelling the polymeric microspheres comprises contacting the polymeric microspheres with an organic medium
15 comprising one or more organic solvents which are able to swell the polymeric microspheres.

37. The method according to claim 36, wherein the suitable conditions for unswelling the polymeric microspheres
20 comprises removing the organic medium from contact with the polymeric microspheres.

38. The method according to claims 29 or 31, wherein the polymeric microspheres comprise multiple molecules of
25 reactive functionality comprising a free chemical group.

39. The method according to claims 29 or 31, wherein the fluorescent nanocrystals comprise a homogenous population.

30 40. The method according to claims 29 or 31, wherein the fluorescent nanocrystals comprise a heterogeneous population.

41. The method according to claims 29 or 31, wherein the fluorescent microspheres further comprises affinity ligand operably bound thereto.
- 5 42. The method according to claims 29 or 31, wherein the fluorescent nanocrystals comprise semiconductor nanocrystals.
43. The method according to claims 29 or 31, wherein the
10 fluorescent nanocrystals comprise doped metal oxide nanocrystals.
44. The method according to claims 29 or 31, wherein the fluorescent microspheres are magnetic.
- 15 45. The method according to claims 29 or 31, wherein the polymeric microspheres comprise a material selected from the group consisting of latex, acrylic, a glass/polymer composite, a thermoplastic, a polymeric material in
20 combination with a magnetic material, and a combination thereof.
46. The method according to claims 29 or 31, wherein the polymeric microspheres further comprise carbon black in a
25 weight percentage of from about 0.5 to about 5.
47. The method according to claims 29 or 31, wherein the polymeric microspheres comprise a combination of a polymeric material and a magnetic material selected from the group
30 consisting of a polymeric material into which is embedded the magnetic material, a magnetic material core and a polymeric material coating, a polymeric material core with a magnetic material layer thereon and a polymeric material

coating over the magnetic layer, and a magnetic material dispersed within a polymeric material.

48. A method of using fluorescent microspheres for
5 determining the presence or absence of a predetermined number of analytes in a sample, wherein a fluorescent microsphere is comprised of a polymeric microsphere which is labeled with a plurality of fluorescent nanocrystals that are either physically entrapped in, or are operably bound
10 to, the polymeric microsphere, and wherein a fluorescent microsphere further comprises affinity ligand operably bound thereto, the method comprising:
- (a) contacting the fluorescent microspheres with the sample under suitable conditions for the fluorescent microspheres
15 to bind the predetermined number of analytes, if present in the sample, in forming complexes;
 - (b) exposing the complexes, if formed, to an excitation wavelength light source suitable for exciting the fluorescent microspheres of the complexes to emit a fluorescence
20 signal pattern; and
 - (c) detecting the fluorescence signal pattern emitted by the complexes, if present, by a detection means for detecting the fluorescence signal pattern;
- wherein detection of the fluorescent signal pattern is
25 indicative of the presence of an analyte of the predetermined number of analytes.



49. The method according to claim 48, wherein the presence of an analyte is detected, and the method further comprises
30 quantitating an amount of the analyte detected by measuring the intensity of the fluorescence signal pattern emitted from the fluorescent microspheres bound to the analyte.

50. The method according to claim 48, wherein the method is performed using a fluorescent detection system selected from the group consisting of an affinity-based assay, fluorescence-based immunoassay, fluorescent staining, flow
5 cytometry, and a hybridization-based assay.

51. The method according to claim 48, wherein the fluorescence signal pattern comprises one or more fluorescence emission peaks, wherein each peak has a narrow
10 spectral band in the range of from about 400 nm to about 800 nm.

52. The method according to claim 48, wherein the excitation wavelength light source for exciting the fluorescent
15 microspheres is a wavelength spectrum in the range of about 300 nm to about 400 nm.

53. The method according to claim 48, wherein the detection means is selected from the group consisting of a
20 photodetector, a filter, a charge couple device camera, a fluorimeter, a fluorescence microscope, a fluorescence cube, a computer for manipulating fluorescence signal pattern data collected, and a combination thereof.

1/1**FIG. 1****FIG. 2**

INTERNATIONAL SEARCH REPORT

International application No.

PCT/US01/16678

A. CLASSIFICATION OF SUBJECT MATTER

IPC(7) :A61K 49/00; B05D 7/00; B32B 9/00, 9/04; H01L 29/04

US CL :Please See Extra Sheet.

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 428/402.24, 404; 257/65, 614, 642; 424/9.1, 9.32, 9.36, 9.42, 9.6; 427/213.3, 214, 215, 220

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X, P	US 6,114,038 A (CASTRO et al) 05 September 2000, see the claims.	1-53
Y	US 5,990,479 A (WEISS et al) 23 November 1999, see entire document.	1-53
Y	US 5,751,018 A (ALIVISATOS et al) 12 May 1998, see entire document.	1-53
Y	US 5,747,349 A (VAN DEN ENGH et al) 05 May 1998, see entire document.	1-53
A	US 5,194,305 A (SHIRAHATA et al) 16 March 1993, see entire document.	1-53

☐ Further documents are listed in the continuation of Box C.
 ☐ See patent family annex.

* Special categories of cited documents:	"T" Later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
"A" document defining the general state of the art which is not considered to be of particular relevance	"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
"E" earlier document published on or after the international filing date	"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
"L" document which may throw doubt on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	"Z" document member of the same patent family
"O" document referring to an oral disclosure, use, exhibition or other means	
"P" document published prior to the international filing date but later than the priority date claimed	

Date of the actual completion of the international search

29 JUNE 2001

Date of mailing of the international search report

28 AUG 2001

 Name and mailing address of the ISA/US
 Commissioner of Patents and Trademarks
 Box PCT
 Washington, D.C. 20231

Facsimile No. (703) 305-3230

Authorized officer

NATHAN M. NUTTER

Telephone No. (703) 308-0661

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US01/16678

A. CLASSIFICATION OF SUBJECT MATTER: US CL :

428/402.24, 404; 257/65, 614, 642; 424/9.1, 9.32, 9.36, 9.42, 9.6; 427/213.3, 214, 215, 220